Loewe Individual
TV

Compose

Selection

	55 Compose	46 Compose	40 Compose	32 Compose	46 Selection	40 Selection	32 Selection
Housing (Colours)							
High Gloss White, Article number, EAN	—	—	—	—	—	—	—
Variant ex works DR+	69410U48, 4011880113151	69409U48, 4011880113120	69408U48, 4011880113090	69415U47, 4011880126274	69419U47, 4011880120937	69418U47, 4011880120920	—
Aluminium Black, Article number, EAN	—	—	—	—	69419L80, 4011880120029	69418L80, 4011880119993	69415L80, 4011880120081
Variant ex works DR+	69410L48, 4011880113144	69409L48, 4011880113113	69408L48, 4011880113083	69415L47, 4011880126267	69419L47, 4011880120067	69418L47, 4011880120043	—
Aluminium Silver, Article number, EAN	—	—	—	—	69419B80, 4011880120012	69418B80, 4011880120005	69415B80, 4011880120074
Variant ex works DR+	69410B48, 4011880113137	69409B48, 4011880113106	69408B48, 4011880120029	69415B47, 4011880126250	69419B47, 4011880120050	69418B47, 4011880120036	—
Image+ (Image)							
Contrast filter panel / high gloss frames	● / —	● / —	● / —	● / —	— / ●	— / ●	— / ●
Display technology	Full-HD LCD with E-LED backlight	Full-HD LCD with E-LED backlight	Full-HD LCD with E-LED backlight	Full-HD LCD with E-LED backlight	Full-HD LCD with E-LED backlight	Full-HD LCD with E-LED backlight	Full-HD LCD with E-LED backlight
Screen diagonal (in cm) / Picture format	140 / 16 : 9	117 / 16 : 9	101 / 16 : 9	80 / 16 : 9	117 / 16 : 9	101 / 16 : 9	80 / 16 : 9
Resolution (in pixels) / Motion response	1,920 x 1,080 / 400Hz	1,920 x 1,080 / 400Hz	1,920 x 1,080 / 400Hz	1,920 x 1,080 / 100Hz	1,920 x 1,080 / 200Hz	1,920 x 1,080 / 200Hz	1,920 x 1,080 / 100Hz
Image+ Active	●	●	●	●	●	●	●
Brightness (in cd / m²)	450	450	450	450	450	450	450
Contrast (static / dynamic)	5.000:1 / 5.000.000:1	5.000:1 / 5.000.000:1	5.000:1 / 5.000.000:1	5.000:1 / 5.000.000:1	5.000:1 / 5.000.000:1	5.000:1 / 5.000.000:1	5.000:1 / 5.000.000:1
Contrast sensor	●	●	●	●	●	●	●
Response time (in ms)	6	6	6	6	6	6	6
Viewing angle (horizontal / vertical)	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°	178° / 178°
24 p motion picture display	●	●	●	●	●	●	●
Fully digitised signal processing	●	●	●	●	●	●	●
Vertical image correction	●	●	●	●	●	●	●
Format options 16 : 9, 4 : 3, Panorama, Cinema, Zoom	●	●	●	●	●	●	●
Eco-standard mode	●	●	●	●	●	●	●
Sound+ (Audio)							
CRX® sound system	—	—	—	●	—	—	●
Output in Watts (music / sine)	2 x 40 / 20	2 x 40 / 20	2 x 40 / 20	2 x 40 / 20	2 x 40 / 20	2 x 40 / 20	2 x 40 / 20
Closed 2-way speakers	○	○	○	●	○	○	●
Dolby Digital+ / dts (incl. Audio Link)	● / ●	● / ●	● / ●	● / ●	● / ●	● / ●	● / ●
Two-channel / Controlled audio Out (constantly selectable)	● / ●	● / ●	● / ●	● / ●	● / ●	● / ●	● / ●
Subwoofer Out	●	●	●	●	●	●	●
Digital+ (Television standards)							
DVB-T[1] / DVB-C / DVB-S2 / Multi-standard (analogue)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●	● / ● / ○ / ●	● / ● / ○ / ●	● / ● / ○ / ●	● / ● / ○ / ●
Integrated HDTV reception[2]	●	●	●	●	●	●	●
Colour standard: PAL / Secam / NTSC / NTSC-V / PAL-V (60 Hz)	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Audio standard: Two-channel FM / AM, Nicam	● / ●	● / ●	● / ●	● / ●	● / ●	● / ●	● / ●
Video / Audio Decoding System: MPEG2 / MPEG4 / MPEG	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●

● = included/installed ○ = upgradeable/optional ▫ = Variant ex works

[1] Freeview available for UK; HDTV reception (DVB-T2) optionally available by end 2010.

[2] Reception of digital channels may be limited by individual regulations from the respective broadcaster/provider; HDTV reception in the UK for DVB-S2 only.

LOEWE.

Loewe Individual
TV

Compose

Selection

	55 Compose	46 Compose	40 Compose	32 Compose	46 Selection	40 Selection	32 Selection
Assist+ (Operation)							
Electronic Instruction Manual / Index / Context Related Help	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Automatic Channel Programming (ACP) / Channel recognition	● / ●	● / ●	● / ●	● / ●	● / ●	● / ●	● / ●
Automatic Volume Control (AVC)	●	●	●	●	●	●	●
Programme positions incl. AV and radio	5,000	5,000	5,000	5,000	5,000	5,000	5,000
Video text Level 2.5 / TOP-Video text / FLOF-Video text / Page memory	● / ● / ● / 2,000	● / ● / ● / 2,000	● / ● / ● / 2,000	● / ● / ● / 2,000	● / ● / ● / 2,000	● / ● / ● / 2,000	● / ● / ● / 2,000
Personalised Video text with direct access to bookmarked pages	● / ●	● / ●	● / ●	● / ●	● / ●	● / ●	● / ●
EPG incl. Digital Link Plus	●	●	●	●	●	●	●
DR+ / storage capacity in GB	● / 250	● / 250	● / 250	● / 250	□ / 250	□ / 250	— / —
Parental Lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Digital Link Plus / Digital Link / Digital Link HD	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
Languages / menu	19 [1]	19 [1]	19 [1]	19 [1]	19 [1]	19 [1]	19 [1]
Radio reception	DVB radio	DVB radio	DVB radio	DVB radio	DVB radio	DVB radio	DVB radio
PIP (AV) / Full PIP [2] / iPIP / Splitscreen TV: TV / TV: video text	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / — / ●	● / □ / ● / □ / ●	● / □ / ● / □ / ●	● / — / ● / — / ●
Media+ (Multimedia functions)							
MediaHome with MediaPhoto / MediaMusic / MediaVideo	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●	● / ● / ●
MediaNet with Internet radio / Internet video	● / ●	● / ●	● / ●	● / ●	● / ●	● / ●	● / ●
MediaUpdate	●	●	●	●	●	●	●
Connectivity+ (Connectors)							
WLAN / HDMI with HDCP / USB	● / 3 / 2	● / 3 / 2	● / 3 / 2	● / 3 / 2	○ / 3 / 2	○ / 3 / 2	○ / 3 / 2
Euro AV (Scart) / S-VHS, Hi-8 / RGB	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1
Digital Audio-In (Cinch) / Digital Audio-Out (Cinch)	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1
Copy function Front-AV to Euro-AV	●	●	●	●	●	●	●
VGA / RS 232 C / Motor control / IR-Link / L-Link	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Side AV Video-/S-VHS, Hi-8 ready / Headphone (jack) in mm	1 / 1 / 3.5	1 / 1 / 3.5	1 / 1 / 3.5	1 / 1 / 3.5	1 / 1 / 3.5	1 / 1 / 3.5	1 / 1 / 3.5
Component (YUV) In [3]	○	○	○	○	○	○	○
Common Interface CI / CI Plus certified [4]	2 / 2	2 / 2	2 / 2	2 / 2	2 / 2	2 / 2	2 / 2
Network connection	1	1	1	1	1	1	1
Miscellaneous							
Weight (approx.) in kg	on request	27,3	23,4	18.4	23.2	19.5	18.3
Power switch / Mains voltages	● / 220–240 V, 50/60 Hz	● / 220–240 V, 50/60 Hz	● / 220–240 V, 50/60 Hz	● / 220–240 V, 50/60 Hz	● / 220–240 V, 50/60 Hz	● / 220–240 V, 50/60 Hz	● / 220–240 V, 50/60 Hz
Power consumption in stand-by mode / when set turned off (in Watts)	0.5 / 0	0.5 / 0	0.5 / 0	0.5 / 0	0.5 / 0	0.5 / 0	0.5 / 0
Power consumption "ON" [5] (in Watts)	on request	121	113	on request	113	105	on request
VDE-safety standard (inspection seal)	●	●	●	●	●	●	●
Insets (Colours and materials)							

Metallised Chrome · Chrome Ripped · Chrome Micro · Aluminium Silver · High Gloss Black · Ebony · Light Oak · + individual colour preference on request

- Ex works on Aluminium Black and Aluminium Silver colour versions: Aluminium Silver.
- Ex works on High Gloss White colour version: Metallised Chrome.

● = included/installed ○ = upgradeable/optional □ = Variant ex works

[1] D-GB-F-I-E-NL-CZ-GR-PL-H-FIN-SLO-SK-TR-S-DK-P-RUS-N

[2] Not with MPEG4.

[3] Using VGA adapter (available from Loewe specialist retail partners).

[4] CI Plus is backwards compatible with CI. Functionality is dependent on module availability from the supplier.

[5] To EN 62087: 2009.

LOEWE.

Loewe Individual

TV set-up options on request

The TV shows images with or without optional Stereospeaker I 40/46 sound.

	Wall Mount / Wall Mount Flex	Table Stand	Floor Stand	Floor Stand SP	Floor Stand 8	Center Floor Stand	Screen Lift Plus
Set-up options Colours	Chrome	Chrome coating	Chrome coating	Chrome coating	Brushed Aluminium	Aluminium Black, Aluminium Silver	Brushed Aluminium

55 Compose



WM 62 / WM Flex 52 L[3]	Table Stand I 55	Floor Stand I 55	Floor Stand I 55 SP		Center Floor Stand I 40–55	Screen Lift Plus[3]
without Stereospeaker: W 132.6 / H 80.4[2] DT 6.0 / TD 8.5	without Stereospeaker: W 132.6 / H 83.8 DT 6.0 / TD 39.2	without Stereospeaker: W 132.5 / H 130.2 DT 6.0 / TD 60.4	W 132.5 / H 130.2 DT 6.0 / TD 60.4		W 132.5 / H 129.4 DT 6.0 / BP 50.2	without Stereospeaker: W 132.5 / H 300.0 DT 6.0 / TD 20.9
with WM Flex: TD max. 58.4						
with Stereospeaker: W 132.6 / H 88.4 DT 6.0 / TD 8.5		with Stereospeaker: W 132.6 / H 88.4 DT 6.0 / TD 8.5				with Stereospeaker: W 132.6 / H 88.4 DT 6.0 / TD 8.5

46 Compose and Selection



WM 62 / WM Flex 52 L[3]	Table Stand I 40/46	Floor Stand I 40/46	Floor Stand I 40/46 SP	Floor Stand 8 42–46[1]	Center Floor Stand I 40–55	Screen Lift Plus[3]
without Stereospeaker: W 113.3 / H 69.2[2] DT 6.0 / TD 8.5	without Stereospeaker: W 113.3 / H 72.3 DT 6.0 / TD 35.1	without Stereospeaker: W 113.3 / H 118.8 DT 6.0 / TD 52.4	W 113.3 / H 118.8 DT 6.0 / TD 52.4	without Stereospeaker: W 113.3 / H 119.6 DT 6.0 / BP 56.0	W 113.3 / H 118.4 DT 6.0 / BP 50.2	without Stereospeaker: W 113.3 / H 300.0 DT 6.0 / TD 20.9
with WM Flex: TD max. 58.4	**Table Stand I 40/46 Sound**					
with Stereospeaker: W 113.3 / H 77.2 DT 6.0 / TD 8.5	with Stereospeaker: W 113.3 / H 82.7 DT 6.0 / TD 35.1	with Stereospeaker: W 113.3 / H 118.8 DT 6.0 / TD 52.4		with Stereospeaker: W 113.3 / H 119.6 DT 6.0 / BP 56.0		with Stereospeaker: W 113.3 / H 300.0 DT 6.0 / TD 20.9

Dimensions in cm: W = width, H = height, DT = TV depth, TD = total depth, BP = base plate (diameter)

[1] Only in conjunction with a corresponding adapter, to be ordered separately.

[2] Includes operating ring.

[3] Only in conjunction with VESA size adapter.

LOEWE.

Loewe Individual
TV set-up options on request

40 Compose and Selection



WM 62/WM Flex 52 L[3]

without Stereospeaker:
W 100.0 / H 61.7[2]
DT 6.0 / TD 8.5

with WM Flex:
TD max. 58.4

with Stereospeaker:
W 100.0 / H 69.7
DT 6.0 / TD 8.5

with WM Flex:
TD max. 58.4

Table Stand I 40/46

without Stereospeaker:
W 100.0 / H 64.8
DT 6.0 / TD 35.1

Table Stand I 40/46 Sound

with Stereospeaker:
W 100.0 / H 75.1
DT 6.0 / TD 35.1

Floor Stand I 40/46

without Stereospeaker:
W 100.0 / H 111.3
DT 6.0 / TD 52.4

with Stereospeaker:
W 100.0 / H 111.3
DT 6.0 / TD 52.4

Floor Stand I 40/46 SP

W 100.0 / H 111.3
DT 6.0 / TD 52.4

Floor Stand 8 32–40[1]

without Stereospeaker:
W 100.0 / H 112.2
DT 6.0 / BP 50.0

with Stereospeaker:
W 100.0 / H 112.2
DT 6.0 / BP 50.0

Center Floor Stand I 40–55

W 100.0 / H 110.9
DT 6.0 / BP 50.2

Screen Lift Plus[3]

without Stereospeaker:
W 100.0 / H 300.0
DT 6.0 / TD 20.9

with Stereospeaker:
W 100.0 / H 300.0
DT 6.0 / TD 20.9

32 Compose and Selection

WM 62/WM Flex 32 L[3]

with Stereospeaker:
W 80.0 / H 59.4
DT 6.1 / TD 8.5

with WM Flex:
TD max. 58.3

Table Stand I 32 Sound

with Stereospeaker:
W 80.0 / H 65.0
DT 6.1 / TD 31.4

Floor Stand I 32

with Stereospeaker:
W 80.0 / H 101.1
DT 6.1 / TD 42.8

Floor Stand 8 32–40[1]

with Stereospeaker:
W 80.0 / H 102.8
DT 6.1 / BP 50.0

Screen Lift Plus[3]

with Stereospeaker:
W 80.0 / H 300.0
DT 6.1 / TD 21.1

Dimensions in cm: W = width, H = height, DT = TV depth, TD = total depth, BP = base plate (diameter)

[1] Only in conjunction with a corresponding adapter, to be ordered separately.

[2] Includes operating ring.

[3] Only in conjunction with VESA size adapter.

LOEWE.

Loewe Individual

TV set-up options on request

Individual Rack 165.30[1]

Individual Rack 165.45 CS[1] / 165.45 SP[1]

Individual Rack 110.30[1] / 110.30 SW[1]

Set-up options Colours	High Gloss White, High Gloss Black, Chrome Silver	High Gloss White, High Gloss Black, Chrome Silver	High Gloss White, High Gloss Black, Chrome Silver
Features	**Individual Rack 165.30** Drawer for remote control, iPod, etc. DVD/CD storage Space for two Equipment products (e.g. Blu-ray player, DVD recorder), Individual Sound Subwoofer	**With Individual Rack 165.45 CS** Upper flap with fabric cover DVD/CD storage Space for two Equipment products (e.g. Blu-ray player, DVD recorder), Individual Sound Subwoofer, Loewe Centerspeaker **With Individual Rack 165.45 SP** Lower flap with fabric cover Space for two Equipment products (e.g. Blu-ray player, DVD recorder), Individual Sound Subwoofer, Loewe Sound Projector	**Individual Rack 110.30 / 110.30 SW** DVD/CD twin storage[2] Space for two Equipment products (e.g. Blu-ray player, DVD recorder) Space for Individual Sound Subwoofer[3]
46 Compose and Selection			
	Individual Rack 165.30 without Stereospeaker: W 162.2 / H 36.1 L -2.25 / R 51.15 DT 6.0 / TD 43.1 OH 107.1 with Stereospeaker: OH 117.5	**Individual Rack 165.45 CS / 165.45 SP** without Stereospeaker: W 162.2 / H 51.6 L -2.25 / R 51.1 DT 6.0 / TD 43.1 OH 122.6 with Stereospeaker: OH 133.0	**Individual Rack 110.30 / 110.30 SW** without Stereospeaker: W 113.3 / H 36.1 L / R -2.25 DT 6.0 / TD 43.1 OH 107.1 with Stereospeaker: OH 117.5

Dimensions in cm: W = width, H = height, DT = TV depth, TD = total depth, OH = overall height (Rack incl. TV), L = distance from set to left-hand outer edge of the Individual Rack, R = distance from set to right-hand outer edge of the Individual Rack (Minus values: device protrudes over the rack by the amount stated.)

[1] Only in conjunction with a corresponding adapter, to be ordered separately.
[2] Only with Individual Rack 110.30.
[3] Only with Individual Rack 110.30 SW.

LOEWE.

Loewe Individual
TV set-up options on request

40 Compose and Selection			
	Individual Rack 165.30	**Individual Rack 165.45 CS / 165.45 SP**	**Individual Rack 110.30 / 110.30 SW**
	without Stereospeaker: W 162.2 / H 36.1 L 4.4 / R 57.8 DT 6.0 / TD 43.1 OH 99.6	without Stereospeaker: W 162.2 / H 51.6 L 4.45 / R 57.75 DT 6.0 / TD 43.1 OH 115.1	without Stereospeaker: W 108.8 / H 36.1 L / R 4.4 DT 6.0 / TD 43.1 OH 99.6
	with Stereospeaker: OH 109.9	with Stereospeaker: OH 125.4	with Stereospeaker: OH 109.9

32 Compose and Selection			
	Individual Rack 165.30	**Individual Rack 165.45 CS / 165.45 SP**	**Individual Rack 110.30 / 110.30 SW**
	with Stereospeaker: W 162.2 / H 36.1 L 14.4 / R 67.8 DT 6.1 / TD 43.1 OH 99.9	with Stereospeaker: W 162.2 / H 51.6 L 14.4 / R 67.8 DT 6.1 / TD 43.1 OH 115.4	with Stereospeaker: W 108.8 / H 36.1 L / R 14.4 DT 6.1 / TD 43.1 OH 99.9

Dimensions in cm: W = width, H = height, DT = TV depth, TD = total depth,
OH = overall height (Rack incl. TV), L = distance from set to left-hand outer edge of the Individual Rack, R = distance from set to right-hand outer edge of the Individual Rack
(Minus values: device protrudes over the rack by the amount stated.)

LOEWE.